



# HiVi Swan Speakers Price List



**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011

**Warranty:** 10 Years Speakers  
3 Years Subwoofers

---

## **Price List Contents**

<b>Product / Range</b>	<b>Page Number</b>
<i>Swans X3 Series - THX Certified System</i>	2
<i>Swans 2.2 Series - Reference Grade Speaker System</i>	3
Swans RM600 - High Definition Sound	4
<i>Swans Diva Series - Front Speakers</i>	5
<i>Swans Diva Series - Centre &amp; Rear Speakers</i>	6
<i>Swans V8 Series - Flat Panel Speakers</i>	7
<i>Swans V8 Series - Flat Panel Accessories</i>	8
<i>Swans D2000 Series - Slimline System</i>	9
Swans - Subwoofer Range	10
<i>Swans - Bookshelf Speakers</i>	11
<i>Swans Custom Series - VA Outdoor Range</i>	12
<i>Swans Custom Series - WS Contractor Series Flushmount Range</i>	13
<i>Swans Custom Series - VX Premium Flushmount Range</i>	14
<i>Swans Custom Series - VR Esoteric Flushmount Range</i>	15 - 16



# HiVi Swan Speakers Price List

**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011**Warranty:** 10 Years Speakers  
3 Years Subwoofers**Swans X3 Series - THX Certified System****Model Code****Product Description****Retail Inc**

Swans X3F



- THX Certified Reference LCR Speaker
- 2 x 6.5" Woofers
- 2 x 3" Midrange
- 28mm Silk Dome Tweeter
- 55Hz - 20kHz Frequency Range
- 88dB Sensitivity
- 150 Watts Power Handling
- High Gloss Polished Black Piano Lacquer
- Priced Each

3,300



Swans X3Sub



- THX Certified Reference Subwoofer
- 15" Woofer
- 30Hz - 35kHz Frequency Range
- Built In 260 Watt Power Amplifier
- Priced Each, Recommended In Pairs

6,000

Swans X3R



- THX Certified Reference Rear Speaker
- 6.5" Woofers
- 28mm Silk Dome Tweeter
- 55Hz - 20kHz Frequency Range
- 85dB Sensitivity
- 70 Watts Power Handling
- Priced In Pairs

3,500





# HiVi Swan Speakers Price List









## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303


Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans 2.2 Series - Reference Grade Speaker System

Model Code	Product Description	Retail Inc
Swans F2.2F+	<ul style="list-style-type: none"> <li>- Floorstanding Reference Mains</li> <li>- 2 x 8.8" Woofers</li> <li>- 5" Midrange</li> <li>- 1.3" Ribbon Ultra Tweeter</li> <li>- 36Hz - 20kHz Frequency Range</li> <li>- 88dB Sensitivity</li> <li>- 600 Watts Power Handling</li> <li>- Real Timber Veneer With Polished Piano Lacquer</li> </ul>	12,000
 Swans F2.2C+	<ul style="list-style-type: none"> <li>- Reference Centre Speaker</li> <li>- 2 x 6" Woofers</li> <li>- 25mm Dome Tweeter</li> <li>- 1.3" Ribbon Ultra Tweeter</li> <li>- 56Hz - 20kHz Frequency Range</li> <li>- 88dB Sensitivity</li> <li>- 150 Watts Power Handling</li> </ul>	2,000
 EACH		
Swans F2.2R+	<ul style="list-style-type: none"> <li>- Reference Surround Speakers</li> <li>- 6" Woofer</li> <li>- 1.3" Ribbon Ultra Tweeter</li> <li>- 65Hz - 20kHz Frequency Range</li> <li>- 87dB Sensitivity</li> <li>- 70 Watts Power Handling</li> </ul>	2,500
		
<b>Colour Options</b>		
African Mahogany	Indonesian Ebony Wood	Birdseye Maple
		
Standard (Ex Stock)	No Cost Option (By Order)	No Cost Option (By Order)

**"The level of proprietary engineering and component control assures a product that has been optimised from the ground up. Make welcome another world player."**

- Edgar Kramer 



# HiVi Swan Speakers Price List



## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans RM600 - High Definition Sound

### Model Code

Swans RM600F



### Product Description

- Floorstanding Main Speakers
- 2 x 6.5" Kevlar Woofers
- 50mm Soft Dome Midrange
- Isodynamic Ribbon Tweeter
- 89dB Sensitivity
- 38Hz - 20kHz Frequency Range
- 120 Watt Power Handling
- Real Timber Veneer

### Retail Inc

3,500

Swans RM600C



- Centre Speaker
- 2 x 6.5" Kevlar Woofers
- 50mm Soft Dome Midrange
- Isodynamic Ribbon Tweeter
- 88dB Sensitivity
- 55Hz - 20kHz Frequency Range
- 120 Watts Power Handling

1,200

Swans RM600R



- Surround Speakers
- 5" Kevlar Woofer
- 28mm Silk Dome Tweeter
- 65Hz - 20kHz Frequency Range
- 87dB Sensitivity
- 60 Watts Power Handling

900



***"These loudspeakers are surprisingly inexpensive for the quality that they provide. And that's just the quality of the sound I'm talking about. Take into account the simply beautiful finish, and the Swans RM600F loudspeakers are a bargain."***

- Stephen Dawson





# HiVi Swan Speakers Price List



**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

**Price List Effective:** 1st January 2011

**Warranty:** 10 Years Speakers  
3 Years Subwoofers

## Swans Diva Series - Front Main Speakers

Model Code	Product Description	Retail Inc
Swans Diva 6.2F	- Floorstanding Main Speakers - 2 x 8" Woofers - 5" Midrange - 28mm Dome Tweeter - 90dB Sensitivity - 33Hz - 20kHz Frequency Range - 200 Watt Power Handling - Pailsander OR Piano Black Finish	2700
Swans Diva 5.2F	- Floorstanding Main Speakers - 2 x 6.5" Woofers - 5" Midrange - 28mm Dome Tweeter - 90dB Sensitivity - 36Hz - 20kHz Frequency Range - 150 Watt Power Handling - Pailsander OR Piano Black Finish	2000
Swans Diva 4.2F	- Floorstanding Main Speakers - 2 x 5" Woofers - 5" Midrange - 28mm Dome Tweeter - 88dB Sensitivity - 39Hz - 20kHz Frequency Range - 120 Watt Power Handling - Pailsander OR Piano Black Finish	1600

***"It's clear that if you're shopping in this price area, the Diva 5.2 HT system should be on your must-audition short-list."***

- David Small 





# HiVi Swan Speakers Price List





**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
 Phone: 1300 556 303

**Price List Effective:** 1st January 2011

**Warranty:** 10 Years Speakers  
 3 Years Subwoofers

## Swans Diva Series - Centre & Rear Speakers

Model Code	Product Description	Retail Inc
Swans Diva 5.2C 	<ul style="list-style-type: none"> <li>- Centre Speaker</li> <li>- 2 x 6" Woofers</li> <li>- 28mm Dome Tweeter</li> <li>- 87dB Sensitivity</li> <li>- 48Hz - 20kHz Frequency Range</li> <li>- 100 Watt Power Handling</li> <li>- Pailsander OR Piano Black Finish</li> </ul>	700
Swans Diva 4.2C 	<ul style="list-style-type: none"> <li>- Centre Speaker</li> <li>- 2 x 5" Woofers</li> <li>- 28mm Dome Tweeter</li> <li>- 86dB Sensitivity</li> <li>- 50Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> <li>- Pailsander OR Piano Black Finish</li> </ul>	550
Swans Diva 5.2R 	<ul style="list-style-type: none"> <li>- Bi-Polar Surround Speakers</li> <li>- 2 x 6" Woofers</li> <li>- 2 x 28mm Dome Tweeters</li> <li>- 87dB Sensitivity</li> <li>- 54Hz - 20kHz Frequency Range</li> <li>- 100 Watt Power Handling</li> <li>- Pailsander OR Piano Black Finish</li> </ul>	950
Swans Diva 4.2R 	<ul style="list-style-type: none"> <li>- Bi-Polar Surround Speakers</li> <li>- 2 x 5" Woofers</li> <li>- 2 x 28mm Dome Tweeters</li> <li>- 87dB Sensitivity</li> <li>- 55Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> <li>- Pailsander OR Piano Black Finish</li> </ul>	800



# HiVi Swan Speakers Price List



## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans V8 Series - Flat Panel Speakers With Glass Mounted Tweeter

### Model Code

Swans V8F



### Product Description

- Flat Panel Main Speakers
- 4 x 4" Magnesium Alloy Woofers
- 25mm Dome Tweeter
- 88dB Sensitivity
- 65Hz - 20kHz Frequency Range
- 120 Watt Power Handling
- Piano Lacquer With Glass Finish

### Retail Inc

1500



Home Theatre Systems Over \$4,000

Swans V8C



- Flat Panel Centre Speaker
- 4 x 4" Magnesium Alloy Woofers
- 25mm Dome Tweeter
- 88dB Sensitivity
- 65Hz - 20kHz Frequency Range
- 120 Watt Power Handling

750

Swans V8R



- Flat Panel Rear Speakers
- 2 x 4" Magnesium Alloy Woofers
- 25mm Dome Tweeter
- 87dB Sensitivity
- 70Hz - 20kHz Frequency Range
- 60 Watt Power Handling

900



*"The Swans Speakers V8HT system is lovely peice of design, while as a surround-sound package it delivers a thoroughly coherent and involving soundscape. We highly recommend it."*

- Edgar Kramer








# HiVi Swan Speakers Price List

**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011**Warranty:** 10 Years Speakers  
3 Years Subwoofers**Swans V8 Series - Flat Panel Accessories**

<b>Model Code</b>	<b>Product Description</b>	<b>Retail Inc</b>
Swans V8 Stand 	<ul style="list-style-type: none"> <li>- Front / Rear Stands for V8F</li> <li>- Sold Per Pair</li> <li>- Glass and Piano Lacquer Finish</li> </ul>	330
Swans CBV8 	<ul style="list-style-type: none"> <li>- Centre Stand For V8C</li> <li>- Holds Plasma Screen</li> <li>- Holds AV Equipment</li> <li>- Sold Each</li> <li>- Glass and Piano Lacquer Finish</li> </ul>	950
Swans V8GRILL 	<ul style="list-style-type: none"> <li>- Optional Grill Colours For V8 System</li> <li>- Sold In Set Of 5 Grills</li> <li>- System Comes With Black As Standard</li> <li>- Available In Brown, Green, Blue, Red, Grey and Silver Ice</li> </ul>	330



# HiVi Swan Speakers Price List

**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011**Warranty:** 10 Years Speakers  
3 Years Subwoofers**Swans D2000 Series - Slimline System**

<b>Model Code</b>	<b>Product Description</b>	<b>Retail Inc</b>
Swans D2000F 	<ul style="list-style-type: none"> <li>- Floorstanding Main Speakers</li> <li>- 10" Side Mounted Woofer</li> <li>- 2 x 5" Midrange</li> <li>- 25mm Dome Tweeter</li> <li>- 88dB Sensitivity</li> <li>- 35Hz - 20kHz Frequency Range</li> <li>- 150 Watt Power Handling</li> <li>- Rose Wood Laminate &amp; Piano Black Finish</li> </ul>	1000
Swans D2000C 	<ul style="list-style-type: none"> <li>- Centre Speaker</li> <li>- 2 x 5" Woofers</li> <li>- 25mm Dome Tweeter</li> <li>- 88dB Sensitivity</li> <li>- 55Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> </ul>	350
Swans D2000R 	<ul style="list-style-type: none"> <li>- Surround Speakers</li> <li>- 5" Woofers</li> <li>- 25mm Dome Tweeters</li> <li>- 85dB Sensitivity</li> <li>- 60Hz - 20kHz Frequency Range</li> <li>- 60 Watt Power Handling</li> </ul>	500



# HiVi Swan Speakers Price List

**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011**Warranty:** 10 Years Speakers  
3 Years Subwoofers

## Swan Subwoofer Range

The new range of swan subwoofers are **significantly higher performance** with a look to match modern architecture. These fantastic new products are perfectly matched with the Swan range of speakers and can also be used with our multimedia speakers. New subs feature **new drivers & bigger amplifiers**.

Model Code	Product Description	Retail Inc
Sub10	<ul style="list-style-type: none"> <li>- Forward Firing Woofer</li> <li>- Sealed Enclosure</li> <li>- 10" Woofer</li> <li>- 25Hz - 250Hz Frequency Range</li> <li>- 150 Watt Internal Amplification</li> <li>- Piano Gloss Black Front, Veneer Top &amp; Sides</li> <li>- Dimensions (W x D x H): 325 x 308 x 316mm</li> </ul>	900
		
Sub 10D	<ul style="list-style-type: none"> <li>- Forward Firing Woofer</li> <li>- Sealed Enclosure</li> <li>- 10" Woofer</li> <li>- 25Hz - 250Hz Frequency Range</li> <li>- 150 Watt Internal Amplification</li> <li>- Piano Gloss Black Top, Pailsander Front, Rear &amp; Sides</li> <li>- Available In All Piano Gloss Black</li> <li>- Dimensions (W x D x H): 368 x 338 x 334mm</li> </ul>	1100
		

**Sub 10 D is designed and finished to suit the Swan Diva range of speakers**

*"... very deep, very extended bass... indeed the extension of the bass was truly remarkable given the subwoofer's relatively small cone and cabinet."*

- Greg Borrowman





# HiVi Swan Speakers Price List



## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans - Bookshelf Speakers

Model Code	Product Description	Retail Inc
Swans D2.1SE	- Bookshelf Reference Mains - 6.8" Woofers - 1" Dome Tweeter - 43Hz - 20kHz Frequency Range - 85dB Sensitivity - 120 Watts Power Handling - Real Timber Veneer With Polished Piano Lacquer	2,500



Swans RM600C	- LCR Speaker - 2 x 6.5" Kevlar Woofers - 50mm Soft Dome Midrange - Isodynamic Ribbon Tweeter - 88dB Sensitivity - 55Hz - 20kHz Frequency Range - 120 Watts Power Handling - 560mm (W) x 330mm (D) x 220mm (H)	1,200
--------------	---	-------



EACH

Swans D10C	- LCR Speaker - 2 x 4" Woofers - 25mm Dome Tweeter - 60Hz - 20kHz Frequency Range - 87dB Sensitivity - 60 Watts Power Handling - Beech and Black Finish - <b>440mm Width To Fit Standard Equipment Cabinets</b>	290
------------	--	-----



EACH

Swans Diva Stands	- Stands For Bookshelf Speakers - Sold Per Pair - Black Finish	400
-------------------	--	-----





# HiVi Swan Speakers Price List







## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans Custom Series - VA Outdoor Range

Model Code	Product Description	Retail Inc
VA4-OS PAIR 	- Outdoor Speakers - 4" Aluminium Cone Woofer - <b>25mm Aluminium Dome Tweeter</b> - 86dB Sensitivity - 65Hz - 20kHz Frequency Range - 60 Watt Power Handling	400  <i>Available In White Only!</i>
VA5-OS PAIR 	- Outdoor Speakers - 5.25" Aluminium Cone Woofer - 25mm Aluminium Dome Tweeter - 87dB Sensitivity - 60Hz - 20kHz Frequency Range - 80 Watt Power Handling	500  <i>Available In White Or <b>Black</b></i>
VA6-OS PAIR 	- Outdoor Speakers - 6.5" Aluminium Cone Woofer - 25mm Aluminium Dome Tweeter - 88dB Sensitivity - 50Hz - 20kHz Frequency Range - 125 Watt Power Handling	700  <i>Available In White Or <b>Black</b></i>
VA8-OS PAIR 	- Outdoor Speakers - 8" Aluminium Cone Woofer - 25mm Aluminium Dome Tweeter - 87dB Sensitivity - 40Hz - 20kHz Frequency Range - 150 Watt Power Handling	900  <i>Available In White Or <b>Black</b></i>



# HiVi Swan Speakers Price List






## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans Custom Series - WS Contractor Series Flushmount Range

Model Code	Product Description	Retail Inc
WS6 PAIR	 <ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 6.5" PP Woofer</li> <li>- 1" Dome Tweeter (30 Degree Pivot)</li> <li>- 89dB Sensitivity</li> <li>- 50Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> </ul>	300  <i>Cutout Size 205mm Cutout Depth 105mm</i>
WS6F PAIR	 <ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 6.5" PP Woofer</li> <li>- 1" Dome Tweeter (30 Degree Pivot)</li> <li>- 89dB Sensitivity</li> <li>- 50Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> </ul>	300  <i>Cutout Size 276mm x 189mm Cutout Depth 85mm</i>
VB5-C PAIR	 <ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 5.25" PP Woofer</li> <li>- 3/4" Dome Tweeter</li> <li>- 89dB Sensitivity</li> <li>- 55Hz - 20kHz Frequency Range</li> <li>- 50 Watt Power Handling</li> <li>- <b>Enclosed Backbox</b></li> </ul>	450  <i>Cutout Size 185mm Cutout Depth 118mm</i>



# HiVi Swan Speakers Price List



## Sole Australia & NZ Importer / Distributor:

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
Phone: 1300 556 303

Price List Effective: 1st January 2011

Warranty: 10 Years Speakers  
3 Years Subwoofers

## Swans Custom Series - VX Premium Flushmount Range

Model Code	Product Description	Retail Inc
VX6-C PAIR 	- 2 Way In-Ceiling Speakers - 6.5" PP Woofer - 1" Dome Tweeter (30 Degree Pivot) - 86dB Sensitivity - 45Hz - 20kHz Frequency Range - 80 Watt Power Handling	400  <i>Cutout Size 205mm Cutout Depth 98mm</i>
VX8-C PAIR 	- 2 Way In-Ceiling Speakers - 8" PP Woofer - 1" Dome Tweeter (30 Degree Pivot) - 87dB Sensitivity - 40Hz - 20kHz Frequency Range - 120 Watt Power Handling	650  <i>Cutout Size 250mm Cutout Depth 108mm</i>
VX10-SW EACH 	- In Ceiling Subwoofer - 10" PP Woofer - 33oz Magnet, 1" Voice Coil - 84dB Sensitivity - 23Hz - 500Hz - 200 Watt Power Handling	450  <i>Cutout Size 310mm Cutout Depth 148mm</i>
150W Module 	- 150w Subwoofer Module - Sealed Back For Safety - Volume & Frequency Adjustments - 0 or 180 Phase Shift - Internal EQ On/Off Switch - Speaker Level Input - Line In Left, Right & Sub - <b>Useful For Powering Swan VX-10 In-Ceiling Subwoofer</b> - Mounting Dimensions W x H x D = 240 x 240 x 90	235



# HiVi Swan Speakers Price List

**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
 19 / 22 Northumberland Road  
 CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011**Warranty:** 10 Years Speakers  
3 Years Subwoofers**Swans Custom Series - VR Esoteric Flushmount Range**

**Attenuation Switches** The VR Line features 3dB attenuation for woofers and tweeters. Switches are located on the front baffle of all speakers, and allow the installer or end-user to fine tune speaker output levels to match room designs, specific applications or individual listening preferences.

**Nomex "Stratum" Cones** The VR Series uses a layered Nomex "Stratum" cones for smooth and responsive lower end frequencies. The "Stratum" cone is layered with honeycomb shaped Nomex fibers between tightly woven fiberglass. This composite cone lets the woofer play more defined, warmer bass and midrange

**Infused Silk Tweeters** - The silk tweeters are infused with bonding resins which add strength and moisture resistance while allowing for smoother frequency response output for the tweeter. The VR Series tweeters are able to handle more power and image more consistently than most soft dome tweeters. Tweeters allow for a 30-degree tilt with rotation swivel, allowing tailored and optimised performance to match any room design.

**Polyamide Cutouts** - The speakers feature polyamide auto reset switch technology for high power protection. This will insure that that the tweeters and are never damaged in case of overpower.

Model Code	Product Description	Retail Inc
VR5-C PAIR	<ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 5.25" Nomex 'Stratum' Woofer</li> <li>- 1" Silk Dome Tweeter (30 Degree Pivot)</li> <li>- 86dB Sensitivity</li> <li>- 50Hz - 20kHz Frequency Range</li> <li>- 80 Watt Power Handling</li> </ul>	400  <i>Cutout Size 185mm</i> <i>Cutout Depth 80mm</i>
VR6-C PAIR	<ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 6.5" Nomex 'Stratum' Woofer</li> <li>- 1" Silk Dome Tweeter (30 Degree Pivot)</li> <li>- 86dB Sensitivity</li> <li>- 45Hz - 20kHz Frequency Range</li> <li>- 100 Watt Power Handling</li> </ul>	450  <i>Cutout Size 205mm</i> <i>Cutout Depth 98mm</i>
VR8-C PAIR	<ul style="list-style-type: none"> <li>- 2 Way In-Ceiling Speakers</li> <li>- 8" Nomex 'Stratum' Woofer</li> <li>- 1" Silk Dome Tweeter (30 Degree Pivot)</li> <li>- 85dB Sensitivity</li> <li>- 40Hz - 20kHz Frequency Range</li> <li>- 120 Watt Power Handling</li> </ul>	800  <i>Cutout Size 250mm</i> <i>Cutout Depth 108mm</i>



# HiVi Swan Speakers Price List



**Sole Australia & NZ Importer / Distributor:**

Oceanic Distribution  
19 / 22 Northumberland Road  
CARINGBAH NSW 2229  
**Phone: 1300 556 303**

**Price List Effective:** 1st January 2011

**Warranty:** 10 Years Speakers  
3 Years Subwoofers

## Swans Custom Series - VR Esoteric Flushmount Range

Model Code	Product Description	Retail Inc
VR6-SC EACH 	- STEREO 2 Way In-Ceiling Speaker - 6.5" Nomex 'Stratum' Dual Voice Coil Woofer - 2 x 0.8" Silk Dome Tweeters - 85dB Sensitivity - 45Hz - 20kHz Frequency Range - 60 Watt Power Handling <b>Per Channel</b>	350  <i>Cutout Size 205mm Cutout Depth 98mm</i>
VR8-SC EACH 	- STEREO 2 Way In-Ceiling Speaker - 8" Nomex 'Stratum' Dual Voice Coil Woofer - 2 x 1" Silk Dome Tweeters - 85dB Sensitivity - 40Hz - 20kHz Frequency Range - 120 Watt Power Handling <b>Per Channel</b>	500  <i>Cutout Size 250mm Cutout Depth 108mm</i>
VR6-W PAIR 	- 2 Way In-Wall Speakers - 6.5" Nomex 'Stratum' Woofer - 1" Silk Dome Tweeter (30 Degree Pivot) - 86dB Sensitivity - 45Hz - 20kHz Frequency Range - 100 Watt Power Handling	470  <i>Cutout Size 276mm x 189mm Cutout Depth 83mm</i>
VR8-W PAIR 	- 2 Way In-Wall Speakers - 8" Nomex 'Stratum' Woofer - 1" Silk Dome Tweeter (30 Degree Pivot) - 87dB Sensitivity - 40Hz - 20kHz Frequency Range - 120 Watt Power Handling	850  <i>Cutout Size 325mm x 223mm Cutout Depth 95mm</i>
VR5-LCR EACH 	- 2 Way In-Wall LCR Speaker - 2 x 5.25" Shielded Nomex 'Stratum' Woofers - 1" Silk Dome Tweeter (30 Degree Pivot) - 85dB Sensitivity - 50Hz - 20kHz Frequency Range - 80 Watt Power Handling	700  <i>Cutout Size 415mm x 190mm Cutout Depth 82mm</i>